

SCARF

Push 60 Ns at left and 36 Ns at right of centre 0 to WP. 96 Ns. Using MC, cast on by hand. Set RC at 000. Using MT, K 7 rows. Insert punchcard and lock on first row. Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt A, K 58 rows. Remove card. Cont in st st. Using MT and MC, K 333 rows. Insert punchcard upside down and lock on last row of flower patt. Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt A starting with last row and ending with first row. K 58 rows. Remove card. Cont in st st. Using MT and MC, K 8 rows. RC shows 466 and work measures 110 cm, 43 1/4 in. Using MT+5, K 1 row. Cast off using a latch tool.

PRESSING

With wrong side facing, pin out to measurements given. Press carefully following instructions on cone band.

MAKING UP

Fold in half lengthways, join long seam. Fold so that seam is at the centre of work. Cut MC, A and B into 20 cm lengths, then taking four strands of each tog, knot a fringe along both short ends. Trim fringe.

HAT

MACHINES WITH RIBBER

With ribber in position and carriage at right, set machine for 1x1 rib. Push 71 [74] Ns at left and 70 [73] Ns at right of centre 0 to WP. 141 [147] Ns. Push corresponding Ns on ribber to WP. Arrange Ns for 1x1 rib. Using MC, cast on and K 3 tubular rows. Carriage is at right. Set carriage for 1x1 rib knitting. Set RC at 000. Using MT-2/MT-2, K 40 rows. Transfer sts for st st. Inc 1 st at right edge. 142 [148] sts.

MACHINES WITHOUT RIBBER

Push 70 [73] Ns at left and right of centre 0 to WP. 140 [146] Ns. Push every 3rd N back to NWP. Using MT and WY, cast on and K a few rows ending with carriage at left. Set RC at 000. Using MT-2 and MC, K 81 rows. Push Ns from NWP to WP and make a hem by placing loops of first row worked in MC evenly along the row. Unravel WY when work is completed. Inc 1 st at each end. 142 [148] sts.

ALL MACHINES

Set RC at 000. Using MT, K 3 rows. Insert punchcard and lock on first row. Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt A, K 32 rows. Remove card. Cont in st st. Using MT and MC, K 4 rows. Transfer the 3rd and every foll alt st to its adjacent N. Push empty

14 BABY'S SCARF, HAT AND MITTENS

PATTERN RATING

** Fairly easy, for knitters with some experience.

MACHINES

This pattern is suitable for standard gauge punchcard machines with or without a ribber.

MATERIALS

Amberlyarn Academy

1 x 400g cone in White 27 (MC).

A small amount in Pink 23 (A), Green 12 (B) and Grey 6 (C).

If you have difficulty obtaining this yarn and would like a list of your local stockists, please write to Amberlyarn, Greendale Mills, Windhill, Shipley, West Yorkshire.

YARN THICKNESS

This yarn is medium weight and knits as four ply.

MEASUREMENTS

To fit baby 3-6 months (6-12) months.

SCARF

Width 15 cm, 6 in.

Length 110 cm, 43 1/4 in.

HAT

Around head 44 [46] cm, 17 1/4 [18 1/4] in.

Depth 10 cm, 4 in plus rib and 10 rows mock rib.

MITTENS

Length (excluding rib) 8 [9] cm, 3 1/4 [3 1/2] in.

Instructions are written for the smaller size, larger size follows in square brackets. If only one figure is given, it applies to both sizes.

TENSION

32 stitches and 44 rows to 10 cm, 4 in measured over stocking stitch (tension dial setting approximately 5).

32 stitches and 38 rows to 10 cm, 4 in measured over Fair Isle pattern on MT+1 (tension dial setting approximately 6).

For perfect results, please check your tension carefully.

ABBREVIATIONS

See page 4.

KNITTING NOTES

We used knit side of knitting as right side of garment.

PATTERN NOTES

The following card should be punched, if required, before starting to knit. Two colour Fair Isle rows should be knitted with the first colour given in the back feeder 1(A) to knit the background and the second colour given in the front feeder 2(B) to knit the contrast pattern.

FAIR ISLE PATTERN A (SCARF AND HAT)

K 3 rows MC/B, 3 rows MC/A, 4 rows MC only (st st), 12 rows MC/C, 4 rows MC only (st st), 3 rows MC/B, 3 rows MC/A, 4 rows MC only (st st), 12 rows MC/C, 4 rows MC only (st st), 3 rows MC/B and 3 rows MC/A. These 58 rows form pattern.

FAIR ISLE PATTERN B (MITTENS)

Place Sellotape over holes for first bunny on right of card. Alternatively, Swiss darning can be used to work the bunny motif. K 3 rows MC/B, 3 rows MC/A and 4 rows MC only (st st). Cont in single motif Fair Isle over Ns 1 to 12 inclusive at left of centre 0, K 12 rows MC/C.

Ns to NWP. Using MT-2, K 10 rows. Break off yarn, leaving a long end. Using a tapestry needle, thread end of yarn through all sts and release from machine.

EAR FLAPS

MACHINES WITH RIBBER (2)

With ribber in position and carriage at right, set machine for

full needle rib/double rib. Push 21 Ns on each bed to WP. Using MC, cast on. Set carriage for tubular knitting. Using MT/MT+1, K 40 rows. Dec 1 st on each bed at each end of next and every foll alt row until 3 sts rem on each bed. Using MT-1/MT, K until cord measures approx 30 cm, 11 3/4 in. Transfer sts to back bed. Cast off.

MACHINES WITHOUT RIBBER (FOUR)

Using MC, cast on 21 sts by hand. Set RC at 000. Using MT, K 20 rows. Dec 1 st at each end of every row until 3 sts rem. Using MT-1, K until tie measures approx 30 cm, 11 3/4 in. Cast off.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press carefully following instructions on cone band.

MAKING UP

Join seam, reversing first 6.5 cm of ribbing. Draw up last row tightly and fasten off securely. Make a pom-pom and sew to top. Turn back brim.

MACHINES WITH RIBBER

Sew ear flaps to inside of hat approx 5 cm from seam.

MACHINES WITHOUT RIBBER

Join pairs of ear flaps tog and sew to inside of hat approx 5 cm from seam.

MITTENS

LEFT MITTEN

MACHINES WITH RIBBER

With ribber in position and carriage at right, set machine for 1x1 rib. Push 16 [17] Ns at left and 23 [26] Ns at right of centre 0 to WP. 39 [43] Ns. * Push corresponding Ns on ribber to WP. Arrange Ns for 1x1 rib. Using MC, cast on and K 3 tubular rows. Carriage is at right. Set carriage for 1x1 rib knitting. Set RC at 000. Using MT-2/MT-2, K 18 rows. Transfer sts for st st. Inc 1 st at right edge. 40 [44] sts.

MACHINES WITHOUT RIBBER

Push 15 [17] Ns at left and 23 [27] Ns at right of centre 0 to WP. 38 [44] Ns. * Push every 3rd N back to NWP. Using MT and WY, cast on and K a few rows ending with carriage at left. Set RC at 000. Using MT-2 and MC, K 37 rows. Push Ns from NWP to WP and make a hem by placing loops of first row worked in MC evenly along the row. Unravel WY when work is completed.

1ST SIZE

Inc 1 st at each end.

ALL SIZES

40 [44] sts.

ALL MACHINES

** Set RC at 000. Using MT, K 2 rows. Insert punchcard and lock on first row (see note). Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt B, K 22 rows. Remove card. Cont in st st. Using MT and MC, K 0 [4] rows. RC shows 25 [29]. K 1 row extra for right mitten.

SHAPE TOP

Push 20 [22] Ns at opposite end to carriage to HP. Push 1 N at each side to HP on next 8 rows. Push 1 N at each side from HP to UWP on next 8 rows. Push rem Ns from

14



SCARF


Push 60 Ns at left and 36 Ns at right of centre 0 to WP. 96 Ns. Using MC, cast on by hand. Set RC at 000. Using MT, K 7 rows. Insert punchcard and lock on first row. Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt, K 58 rows. Remove card. Cont in st st. Using MT and MC, K 333 rows. Insert punchcard upside down and lock on last row of flower patt. Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt, starting with last row and ending with first row. K 58 rows. Remove card. Cont in st st. Using MT and MC, K 8 rows. RC shows 466 and work measures 110 cm, 43 1/4 in. Using MT+5, K 1 row. Cast off using a latch tool.

PRESSING

With wrong side facing, pin out to measurements given. Press carefully following instructions on cone band.

MAKING UP

Fold in half lengthways, join long seam. Fold so that seam is at the centre of work. Cut MC, A, B and C into 20 cm lengths, then taking four strands of each together, knot a fringe along both short ends. Trim fringe.



15 CHILD'S SCARF, HAT AND MITTENS

PATTERN RATING

** Fairly easy, for knitters with some experience.

MACHINES

This pattern is suitable for standard gauge punchcard machines with or without a ribber.

MATERIALS

Amberlyarn Academy

1 [1, 1] x 400g cone in Blue 42 (MC).

A small amount in Pink 23 (A), Green 12 (B) and White 27 (C).
Stitch holder.

If you have difficulty obtaining this yarn and would like a list of your local stockists, please write to Amberlyarn, Greendale Mills, Windhill, Shipley, West Yorkshire.

YARN THICKNESS

This yarn is medium weight and knits as four ply.

MEASUREMENTS

To fit child 1-3 (4-5, 6-7) years.

SCARF

Width 15 cm, 6 in.

Length 110 cm, 43 1/4 in.

HAT

Around head 48 [50, 51.5] cm, 19 [19 3/4, 20 1/4] in.

Depth 11.5 [11.5, 12.5] cm, 4 1/2 [4 1/2, 5] in plus rib and mock rib.

MITTENS

Length (excluding rib) 11 [12.5, 14] cm, 4 1/4 [5, 5 1/2] in.

Instructions are written for the smallest size, larger sizes follow in square brackets. If only one figure is given, it applies to all sizes.

TENSION

32 stitches and 44 rows to 10 cm, 4 in measured over stocking stitch (tension dial setting approximately 5).

32 stitches and 38 rows to 10 cm, 4 in measured over Fair Isle pattern on MT+1 (tension dial setting approximately 6).

For perfect results, please check your tension carefully.

ABBREVIATIONS

See page 4.

KNITTING NOTES

We used knit side of knitting as right side of garment. Always take yarn round first inside N in HP to prevent a hole forming.

PATTERN NOTES

The following card should be punched, if required, before starting to knit. Two colour Fair Isle rows should be knitted with the first colour given in the back feeder 1(A) to knit the background and the second colour given in the front feeder 2(B) to knit the contrast pattern.

FAIR ISLE PATTERN

K 3 rows MC/B, 3 rows MC/A, 4 rows MC only (st st), 12 rows MC/C, 4 rows MC only (st st), 3 rows MC/B, 3 rows MC/A, 4 rows MC only (st st), 12 rows MC/C, 4 rows MC only (st st), 3 rows MC/B and 3 rows MC/A. These 58 rows form pattern.

HAT

MACHINES WITH RIBBER

With ribber in position and carriage at right, set machine for 1x1 rib. Push 77 [80, 83] Ns at left and 76 [79, 82] Ns at right of centre 0 to WP. 153 [159, 165] Ns. Push corresponding Ns on ribber to WP. Arrange Ns for 1x1 rib. Using MC, cast on and K 3 tubular rows. Carriage is at right. Set carriage for 1x1 rib knitting.

Set RC at 000. Using MT-2/ MT-2, K 44 rows. Transfer sts for st st. Inc 1 st at right edge. 154 [160, 166] sts.

MACHINES WITHOUT RIBBER

Push 76 [79, 82] Ns at left and right of centre 0 to WP. 152 [158, 164] Ns. Push every 3rd N back to NWP. Using MT and WY, cast on and K a few rows ending with carriage at left. Set RC at 000. Using MT-2 and MC, K 89 rows. Push Ns from NWP to WP and


make a hem by placing loops of first row worked in MC evenly along the row. Unravel WY when work is completed. Inc 1 st at each end. 154 [160, 166] sts.

ALL MACHINES

Set RC at 000. Using MT, K 7 [7, 9] rows. Insert punchcard and lock on first row. Set carriage for patt. K 1 row. Release card. Using MT+1, cont in Fair Isle patt, K 32 rows. Remove card. Cont in st st. Using MT and MC, K 6 [6, 8] rows. Transfer the 3rd and every foll alt st to its adjacent N. Push empty Ns to NWP. Using MT-3, K 8 rows. Break off yarn, leaving a long end. Using a tapestry needle, thread end of yarn through all sts and release from machine.

PRESSING

With wrong side facing, pin out to measurements given. Press carefully following instructions on cone band.



- A = 30 cm
- B = 110 cm
- C = 48 [50, 51.5] cm
- D = 10 cm
- E = 11.5 [11.5, 12.5] cm
- F = 14 [16, 16.5] cm
- G = 3 [3.5, 4] cm
- H = 11 [12.5, 14] cm

15



Quality Knitting Yarns

QUALITY MACHINE & HAND KNITTING YARNS.

Send **£1.50** for shade cards to:
Brockwell Wools
(Dept. MKM),
Stansfield Mill,
Triangle,
Sowerby Bridge,
West Yorkshire
HX6 3LZ
Tel: (0422) 834343
or call at our shop.

Trade enquiries welcome.

BROCKWELL WOOLS



THE NAME FOR QUALITY CONED YARNS 1988/1989 COLLECTION

- ★ **ANTI-TICKLE** - Pure New Wool 4 ply now in 36 shades on 500g cones.
- ★ **ANGORA LOOK** - 4 ply in 15 shades on 400g cones (80% Courtelle 20% Nylon).
- ★ **ARANS** - Pure New Wool on 1000g cone 100% Acrylic on 800g cones.
- ★ **CORALSPUN** - Knits as 4 ply in 6 shades on 300g cones (85% (min) Acrylic).
- ★ **DELUXE MOHAIR** - in 10 shades on 400g cones (52% Mohair, 45% Courtelle, 3% Other Fibres).

NEW ADDITIONS TO THE RANGE

- ★ **ALPACA** - 75% Alpaca, 30% Courtelle, 6 shades on 400g cones.
- ★ **LITTLE DORRITT** - 80% Wool, 20% Nylon in 3 ply on 400g cones.
- ★ **6 NEW ANTI TICKLE PASTEL SHADES**

Available from most quality cone shops. Send SAE for free shade fringe and list of supplies to: King Cole Ltd., Merrie Mills, Old Souls Way, Bingley BD16 2AX. Tel: 0274 561331.

HP to UWP. Using WY, K a few rows and release from machine **.

RIGHT MITTEN

MACHINES WITH RIBBER

With ribber in position and carriage at right, set machine for 1x1 rib. Push 24 [27] Ns at left and 15 [16] Ns at right of centre 0 to WP. 39 [43] Ns. Work as for left mitten from * to *.

MACHINES WITHOUT RIBBER

Push 23 [27] Ns at left and 15 [17] Ns at right of centre 0 to WP. 38 [44] Ns. Work as for left mitten from * to *.

ALL MACHINES



Work as for left mitten from ** to ** reversing shapings by noting alteration in number of rows worked and inserting punchcard back to front.

PRESSING

With wrong side facing, pin out to measurements given. Press carefully following instructions on cone band.

MAKING UP

Graft top sts. Join side seams.



MAKING UP

Join seam, reversing first 8 cm of ribbing. Draw up last row tightly and fasten off securely. Make a pom-pom and sew to top. Turn back brim.

MITTENS

RIGHT MITTEN

MACHINES WITH RIBBER

With ribber in position and carriage at right, set machine for 1x1 rib. Push 23 [24, 25] Ns at left and 22 [23, 24] Ns at right of centre 0 to WP. 45 [47, 49] Ns. Push corresponding Ns on ribber to WP. Arrange Ns for 1x1 rib. Using MC, cast on and K 3 tubular rows. Carriage is at right. Set carriage for 1x1 rib knitting. Set RC at 000. Using MT-2/MT-2, K 20 [22, 24] rows. Transfer sts for st st. Inc 1 st at right edge. 46 [48, 50] sts.

MACHINES WITHOUT RIBBER

Push 22 [24, 25] Ns at left and 22 [23, 25] Ns at right of centre 0 to WP. 44 [47, 50] Ns. Push every 3rd N back to NWP. Using MT and WY, cast on and K a few rows ending with carriage at left. Set RC at 000. Using MT-2 and MC, K 41 [45, 49] rows. Push Ns from NWP to WP and make a hem by placing loops of first row worked in MC evenly along the row. Unravel WY when work is completed.

1ST SIZE

Inc 1 st at each end.

2ND SIZE

Inc 1 st at right edge.

ALL SIZES

46 [48, 50] sts.

ALL MACHINES

Set RC at 000. Using MT, K 1 [1, 2] rows. K 1 row extra for left mitten.

2ND AND 3RD SIZES

Inc 1 st at each end of next and foll (3rd, 4th) row.

ALL SIZES

46 [52, 54] sts. Insert punchcard and lock on first row. Set carriage for patt. K 1 row. Release card.

Using MT+1, cont in Fair Isle patt. K 8 rows.

THUMB OPENING

Using a length of WY, K 8 [9, 9] sts at left (right on left mitten) by hand. K 24 rows. Remove card. Cont in st st. Using MT and MC, K 0 [2, 6] rows.

SHAPE TOP

Push 23 [26, 27] Ns at opposite end to carriage to HP. Push 1 N at opposite end to carriage to HP on next 10 [10, 12] rows. Push 1 inside N at opposite end to carriage from HP to UWP on next 10 [10, 12] rows. Push rem Ns from HP to UWP. Using WY, K a few rows and release from machine.

THUMB

Push 16 [18, 18] Ns to WP. Slip thumb sts on to a stitch holder. With P side facing, replace sts from stitch holder on to Ns. Using MT and MC, K 16 [20, 22] rows. Using WY, K a few rows and release from machine. Push 8 [9, 9] Ns to WP. With P side facing, replace sts on to Ns, placing 2 sts tog on to each N. Unravel WY. Using MC, K 1 row. Break off yarn, leaving a long end. Using a tapestry needle, thread end of yarn through all sts and release from machine.

LEFT MITTEN

Work as for right mitten reversing shapings by noting alteration in number of rows worked.

PRESSING




With wrong side facing, pin out to measurements given. Press carefully following instructions on cone band.

MAKING UP

Draw up thumb sts and fasten off securely. Join thumb seams. Graft top sts. Join side seams.

METROPOLITAN MOVES NORTH!

Send for our
comprehensive
price list



Please note
our new
address and
telephone
number

We lead the way for Machine Knitters

For full details of all the above send to:

The Pinfold, Poole, Nantwich,
Cheshire CW5 6AL or tel: 0270-628414



"I don't care how proud you are of your
mum's knitting, Johnson get it off!"